

Selene 59' Ocean Clipper Standard Specification

PRINCIPAL DIMENSIONS

L.O.A.	62'-11 "	(19.18 M)
L.O.H.	59'-6"	(18.13M)
L.W.L.	54'-9 "	(16.70M)
Beam	17'-8"	(5.38 M)
Draft to keel (full load)	4'-7"	(1.39 M)
Displacement (full load)	64,998 Lbs	(29.5 Tons)
Fuel capacity	900 USG	(3,402Liters)
Water capacity	300 USG	(1134 Liters)
Holding tank capacity	60 USG	(226.8 Liters)
Top speed (std engines)	17 Kts	(31.4 Km / hr)
Cruising speed (std engines)	12.0Kts	(27.75 Km / hr)

Standard power	Twin Cummins QSM11 715HP @ 2500 RPM
Transmission:	ZF 280-1
Generator:	12KW generator

STRUCTURE

- Superstructure with vacuum bagging
- **Vinylester** resin at hull and ISO resin at deck & F/B before core material
- **Cook** gel coat light tan for the non skid
- Double with molded upper & lower rub rail capped with S/S rubrail
- Foam structural bulkheads and cabin sole padded and bonded as per schedule
- Integral swim platform with extended hull underneath
- Recessed bow thruster tunnel

EXTERIOR

- S/S #316 grab rail
- **Manship** open hatch from fly bridge to pilothouse
- FRP BBQ cabinet
- Wash basin w/folded faucet
- FRP radar arch
- One **Selene** helm seat
- Chart counter top
- Tinted plexi glass windscreen with S/S #316 bracket
- Dinghy space on the fly bridge deck

- Table and L-settee with **Sunbrella** marine upholstery ,hatches with storage underneath
- Boat deck drain to waterline
- FRP hard top with lights (option)
- Large hull windows in master stateroom

AFT DECK AREA

- Entrance Bureau w/ hatch and stair to engine room. (Option)
- Integral FRP Swim step, molded non-skid surface. Stainless steel rub rail
- Storage locker in Step on Swim Step
- Stainless steel telescopic swim ladder.
- Stainless steel ladder to flybridge with FRP treads
- Sliding doors to salon. FRP with glass windows & weather strips
- Hot & cold shower fittings recessed on transom, with quick release shower head and flexi hose
- Salt water 316 Stainless steel faucet
- Fresh Water 316 Stainless steel faucet
- Shorepower inlets for 220v, 60Hz, 50A, (European model 230v, 50 Hz, 32A)
- Overhead LED lights
- Chocks at hull sides and transom.
- Deck scuppers piped out at boot stripe
- 316 grade stainless steel handrail across transom
- FRP settee
- Fishing deck with fish well and bait tank (optional)
- Stainless Steel Chocks on port and stbd sides
- FRP hatch to lazarette w/ S/S 316 stair

SIDE-DECKS

- 316 grade stainless steel handrails along bulwarks
- Bulwark doors opening inboard with barrel bolts
- Non-skid on top side of guard at boarding gates
- Stainless steel overhead LED lights. Two per side.
- Steps to Portuguese Bridge deck
- House side fixed windows with tinted, tempered glass
- Galley window sliding with tinted, tempered glass
- Stainless steel cleats/chocks per side recessed into bulwarks
- Fuel fill fittings for both fuel tanks in recessed boxes on Port & Stbd house side

PILOT-HOUSE DECK LEVEL

- Portuguese Bridge
- Locker doors in aft face of Portuguese bridge, access to large vented storage

- 316 grade stainless steel handrails at side of pilothouse port & stbd
- Hinged doors through Portuguese bridge to foredeck - stbd
- Individual Screen wash and heavy duty self-parking wipers on windshield
- Clear, tempered 12mm glass, in forward facing windshields Pilothouse windows are fixed.
- Black water tank suck out deck fitting on port and stbd sides

FOREPEAK

- Chain locker
- Divider for port & stbd anchor chains
- Watertight collision bulkhead
- Forepeak drains directly overboard.
- Hatch scuppers
- High gloss poly paint finish
- Fwd Shore power ELCI circuit breaker
- Settee

FWD DECK

- CE approved stainless steel hatch/skylight for forward cabin
- Stainless steel stanchions to support stainless steel handrail
- Stainless steel oval hand rail
- Deep deck lockers either side of anchor platform with non-skid finish on lids
- FRP anchor platform with molded non-skid finish and two sets of rollers
- 24v DC **Maxwell** windlasses with pendant control and remotes at both stations (P/H & F/B)
- Two stainless steel chocks on port and stbd sides
- 316 grade stainless steel pulpit. Welds ground and polished.
- Shorepower inlet for 220v, 60Hz, 50A, (European model 230v, 50 Hz, 32A)
- Salt water 316 stainless steel faucet inside foredeck lockers
- Fresh water 316 stainless steel faucet inside foredeck lockers
- Deck drains plumbed to boot-stripe to prevent black streaks
- Settee in FWD Deck

FLYBRIDGE

- Helm station in center w/ console box
- S/S#316 destroyer type steering wheel
- Vinyl and EVA foam panels for ceiling lining
- Waterproof power socket
- **Epifanes** one part varnish for interior
- One **Selene** FRP helm seat (2nd one is option)
- Steering console with engine

- Electronics console
- Engine instrumentation
- **Ritchie** Compass (Option)
- Flybridge cushions on settees and helmseat using foam with **Sunbrella** upholstery and mesh backs for drainage
- Perfix snaps for attaching cushions
- L-Settee port side with high seat backs
- FRP fixed table
- Kahlenberg D-0A Air horn with twin trumpets
- FRP Radar arch with LED overhead lights
- Stainless steel railings with mid safety rail
- **Steelhead** Davit (Option)

INTERIOR

FOUNDATIONAL MATERIALS

- Light teak (straight grain)
- Door locks and handles for interior doors
- Latch for all locker doors and drawers
- Bird style door catcher for all overhead locker doors
- **Cantalupi** LED lights system
- **Cabin** LED reading lights
- Solid teak and holly sole w/ teak border

GENERAL

- S/S #316 opening port lights with safety covers
- S/S #316 hatches for pilothouse and fwd. stateroom
- **Diamond Sea-glaze** or (equivalent) for pilothouse Stb side
- S/S #316 solid upper and lower dual fender rails
- S/S #316 hand rail for fore deck and dinghy deck
- S/S #316 telescope swim ladder
- Teak cap rail for aft. Deck
- S/S #316 bow and stern flag pole socket
- Teak burgee and flag staffs
- Freeing port for fore, side and aft. Deck
- Molded inlay pattern non-skid to fore, side, aft, fly ridge decks and swim platform
- Portuguese bridge access gate to fore deck
- Storage locker inside Portuguese bridge
- After deck side gates
- Transom gates swing out
- Portuguese bridge access gate to fore deck

- S/S #316 self-lock type exterior gate handles
- **Cantalupi** LED exterior dome lights
- **Cantalupi** LED exterior courtesy lights
- **International** anti-fouling bottom paint
- **International** Gel shield primer coating
- **Awlgrip** boot top line

SALOON

- L-shaped settee w/ upholstery ,with file drawer and hatches for storage
- Hi-lo dining table
- Pre-wiring for A/V system
- TV cabinet
- **Cantalupi** LED dome lights
- **Cabin** LED reading light
- S/S one pies sliding rear doors with fixed glass windows for salon entrance
- Overhead window glass, tinted 1/4" side & rear
- Teak overhead grab rail
- Tempered window glass, tinted 1/4" side & rear
- Self-lock window stopper
- Smoke & Co detector (Option)

GALLEY

- Corian Counter top w/ back splash
- Drawers & cabinets lined with **formica**
- Electric exhaust fan above stove
- **Grohe** single lever swivel type faucet
- S/S #316 double sink
- Cabinet with slides out shelves for bottle and glass storage
- Lamp push button latches on all doors and drawers
- Overhead cabinet with louver doors
- Teak & holly sole
- Emergency access to engine room thru cabin sole
- **Cantalupi** LED ceiling lights
- **Siemens** stove microwave
- **Force 10** gas stove
- **Siemens** electric cook top (Option)
- **Siemens** electric oven (Option)
- Full high galley refrigerator
- Icemaker (Option)
- **Torrid** 20gal water heater

PILOTHOUSE

- Helm station w/ complete engine instrument panels with alarm rock switch panel for function
- Overhead electronics locker above helm station
- Inside access to fly bridge stbd. side with S/S hatch door from P/H
- Electronic engine control system
- One **Selene** brand pilot seat
- **Diamond Sea-glaze** or (equivalent) for pilothouse Stb side
- Chart drawer under chart locker
- Raised L-shapes settee for port with upholstery, large P/H table convert to watch berth
- Overhead electronics locker above helm station
- Overhead ventilation hatches
- Overhead vinyl throughout
- Teak & holly sole
- Tempered window glass, tinted 12mm.
- **Cantalupi** LED dome lights
- **Cantalupi** LED step lights
- Steering and engine controls, with 24" teak steering wheel
- **Ritchie** Compass (Option)
- Horn control
- Wiring routes to facilitate equipment installation
- Back lit electrical & Battery Master Switch panel
- Alarm and advisory panel
- Mimic panels
- Teak table with single stainless steel leg
- Exalto Wiper
- Control for bow thruster (Option)
- Air-conditioning (Option)
- Generator start/stop & digital control panel
- Windlass up/down switch & control circuit breaker
- Fire system and high level bilge alarms
- Bilge pump control switches on mimic panel

ACCOMMODATION

- **FORWARD STATEROOM / VIP STATEROOM**
- Queen size berth w/ 5" foam mattress
- Front and side cabinets
- Hanging lockers w/ automatic light
- Wood counter top
- **Cabin** LED reading lights

- **Cantalupi** LED dome lights
- S/S #316 hatch
- S/S #316 opening port lights

- **FORWARD / VIP HEAD**

- **Tecma** freshwater toilet
- Shower room w/ teak removable grating panel
- **Cantalupi** LED dome lights
- Tempered clear glass shower clear door
- Vanity unit w/ integral wash basin
- **Grohe** single lever hot and cold shower faucet
- Granite floor (or teak and holly floor w/ teak border)
- Mirror w/ teak frame
- S/S #316 tissue paper holder
- Telescope escape ladder in forward stateroom

- **MASTER STATEROOM**

- Queen size berth w/ 5" foam mattress
- Side cabinets and bureau drawers
- Cedar-lined wardrobe w/ automatic light
- TV cabinet
- Wood veneer counter top
- **Cantalupi** LED reading lights
- **Cantalupi** LED dome lights
- Mirror w/ teak frame
- S/S #316 opening port lights

- **MASTER HEAD**

- **Tecma** freshwater toilet
- **Johnson** dia. 3" exhaust fan
- **Cantalupi** LED dome lights
- **Corian** counter top and splash
- Vanity unit w/ integrated wash basin
- Tempered clear glass shower door
- Mirror w/teak frame
- **Grohe** single lever hot/cold water shower faucet
- Shower room w/ teak removable grating panel
- Granite floor (or teak and holly floor with teak boarder)

- S/S #316 tissue paper holder
- S/S #316 opening port lights

SYSTEMS

PROPULSION

- Twin **Cummins** QSC8.3 500HP@2,300RPM diesel engines
- **ZF** Electronic engine control system at each helm station
- Deluxe engine panel w/ complete instrumentation and alarms
- Engine overheat and low lid pressure alarm
- **Aqua Alloy** #22 propeller shaft
- **PYI** shaft seal
- Shaft grounding scatters
- Bronze V & intermediates struts
- Faster Niaibr 4 blade propeller
- **Dometic 9"** engine room blowers
- FRP wet box muffler
- S/S #316 rudder with S/S #316 rudder shaft
- Fluorescent light for E/R and lazarette
- S/S #316L exhaust raisers, "BUTTON" type insulation cover
- Engine high temperature alarm
- Engine room high water level alarm
- FRP drip pan under main engine
- Engine room fuel tank
- Engine starting batteries with boxes
- Trim tabs at aft.

STEERING SYSTEM

- Hydraulic steering system for Pilothouse & F/B
- Handcrafted teak wheel in pilot house and S/S #316 dia, 24" wheel on F/B
- Emergency tiller

AC ELECTRICAL SYSTEM

- 120V AC and 240V AC system
- **Whisper Power** 12KW generator w/ sound shield, muffler and remote start switch panel located in P/H, including dedicated 120 Amp/hr starting battery in FRP box with lid
- D80 Amp engine alternator
- **Victron** 100amp battery charger for house bank, one 30amp battery charger for starting bank

- 220V 50hz 63Amp shore power inlets
- Zinc saver for shore power protection
- Five point select switches for A/C 220V panel
- AC/DC control panel w/ polarity indicator lights, appropriate switches, meters and breakers
- Copper bonding strap w/ ground cable attachment for each fitting
- **Marvair** air conditioning units 57,000BTU (Option)
- Combo washer & dryer

DC ELECTRICAL SYSTEM

- 24V DC system
- **Kahlenberg** horn
- **Exalto** DC electric wipers for 3 front windshields including fresh water wash
- **Johnson** automatic water pressure pump with accumulator tank
- **Johnson** sump pumps w/ ultra float switches
- **Vision** 800AMP 24V batteries for house service, 200AMP 24V engine and 150AMP 24V generator starting
- **Cantalupi** LED accommodation dome lights
- Step lights for interior and exterior
- **Cabin** LED reading lights
- Eight DC 24V exterior lights and nine exterior safety lights at foot level
- **Aqua signal** navigation lights & searching lights
- Monitor panel
- Four DC 24V engine room lights
- One bilge water alarm
- **Side power** 13HP bow & stern thruster (Option)
- **Whisper** 4KW inverter (Option)
- TV and Tel shore inlets
- Transom underwater light (Option)
- **Frigoboat** built-in freezer.

FUEL SYSTEM

- Total capacity 900 gallons, two FRP fuel tanks w/ internal baffles, sumps, balancing lines, inspection ports & plates
- **Racor** 75/1000 Max dual fuel filter / water separator for main engines
- **Racor** 500 Max single fuel filter / water separator for generator
- **ESI** fuel polishing system
- **Reverso** oil change system
- CE certified fuel line

Option

- Hard top
- Lowered aft fishing cockpit
- Teak on platform
- Teak on aft cockpit and sidewalks
- **Sidepower** electric 13hp bow and stern thrusters
- Power steering
- Third control station in aft cockpit
- Second Whisper Power 12 KW generator
- **Steelhead** ES 1000 crane on flybridge
- Air conditioning
- **Kenyon** barbeque on flybridge
- **Vitrifrigo** drawer refrigerator on flybridge
- **Siemens** electric cook top and oven in galley
- **Whisper** Inverter 4 kw
- **Ritchie** compasses *2
- **Fireboy** automatic fire extinguisher
- 2nd **Selene** flybridge chair
- Preparation for watermaker
- CE European certification
- **Trac** 220/6,X Hydraulic stabilizers ZERO speed

Jet Tern Marine will always has the policy of continuous improvement. Thus specifications may change w/out notice. Illustrations may include optional equipment.

Updated on NOV, 03, 2015